(3) If the successful bidder fails to fulfil the above conditions the article will be put to auction again and if the realisations thereof fall short of the original bid amount in the resale conducted, the original bidder shall have to make good the loss to Government.

The above outer-fly may be seen by the public on any working day between 11 A.M. and 5 P.M.

D. KRISHNA RAO,
Executive Engineer.

OFFICE OF THE ASSISTANT ENGINEER, HEADQUARTER RANGE, MYSORE.

Abstract Notification dated 4th July 1939.

The attention of the public is invited to the Notification published in pages 1340-1344 of Part VI of the *Mysore Gazette*, dated 13th July 1939, calling for tenders for the work of extending the Exhibition Buildings, Mysore, towards the west.

The last date and time fixed for the receipt of tenders in this Office is 24th July 1939 at 2 P.M. and the amount of earnest money is Rs. 3,528.

Notification dated 15th July 1939.

Notice is hereby given that tenders in sealed covers to run the Coffee Club in the stair cases room of the Public Offices, Mysore, from 21st September 1939 to end of 20th September 1940 will be received at the Office of the Assistant Engineer, Headquarter Range, Mysore up to 12 noon on the 21st August 1939.

Each quotation should be accompanied by an earnest money of Rs. 20 in cash or in currency notes.

The applicant should state the rate of monthly rent at which he is prepared to take up the room with the available facilities only.

On acceptance of the tender, the earnest money of the rejected tenders will be refunded.

The successful applicant will have to execute a rental agreement in prescribed form within three days of the acceptance of the tender, and abide by the instructions of the department regarding keeping the place neat, payment of rents in advance in each month, etc.

Notification dated 15th July 1939.

1. Sealed tenders will be received at the Office of the Assistant Engineer, Headquarter Range, Mysore, up to 2 P.M. on 31st July 1939, for completing the North wing of the administrative block of Medical College, Mysore.

2. Tenders in the prescribed form obtainable from the Office of the Assistant Engineer, Headquarter Range, Mysore, on payment of rupee one for each form, should be addressed to the Assistant Engineer, Headquarter Range, and should be superscribed as "Tender for completing the North wing of the administrative block of Medical College, Mysore." The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 2,080 only in cash or Government Security, Municipal Debentures, Post Office Cash Certificates (at cash payment value at the time of deposits and not face value), as earnest money. The earnest money of the successful tenderer will be retained as cash security for the due fulfilment of the contract. (Cash amount will not carry any interest.)

4. The tenders will be opened in the presence of such tenderers who wish to be present on 31st July 1939 at 4 P.M. The final acceptance of the tender will rest with the Government which does not bind itself to accept the lowest or any tender, or to assign any reasons whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Assistant Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute the agreement in the departmental schedule contract form for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. Copies of contract documents, estimates and drawings may be seen at any time at the Office of the Assistant Engineer, Headquarter Range, Mysore, on all working days, between 11 A.M. and 5 P.M.

8. Specific rates should be given for each item in the schedule and the rates should be in rupees, annas and in multiples of three pies and expressed in words and figures.

9. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates tendered should include all such lumpsum items.

10. No alterations which are made by the tenderers in the contract documents in the nomenclature of the sanctioned sub-heads will be recognised and if corrections are made, the tenders will be liable to rejection.

11. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

12. No reference should be made to the Public Works Department for the current schedule of rates.

13. On the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by person holding power-of-attorney authorising him to do so.

14. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates to be proposed by the Assistant Engineer, Headquarter Range, Mysore, and approved by the Superintending Engineer shall be final and legally binding on the tenderer.

15. The quantities as estimated are only approximate and are liable to alterations, omissions, deductions or additions, at the discretion of the Assistant Engineer or his representative. The tendered rates will hold good for any quantity whether higher or lower than those estimated for.

16. The work should be completed as per departmental specifications for different items and handed over to the Public Works Department by the end of December 1939, failing which the Assistant Engineer may, at his discretion, levy a penalty up to Rs. 10 per day of delay which will be recovered from the contractor's outstandings for the period exceeded by him till the work is completed and handed over.

17. In all matters of dispute of any kind, not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief Engineer shall be final and legally binding.

18. The earnest money of rejected tenders will be returned on surrender of the receipts originally granted, along with an application to the Assistant Engineer, Headquarter Range, Mysore.

19. No claims for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools, plant and machinery that will be supplied by the Assistant Engineer in the interest of the work, shall be accepted by the tenderer at the rates fixed by the Assistant Engineer and the tenderer will pay the hire, etc., on machinery at the prescribed per cent per annum of the booked value of the tools and plant supplied from the date of taking over of tools and plant from the Stores to the date of return to the Stores, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(*a*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labours required in setting out the works.
(2) Provide all necessary scaffolding, centering, labour and appliance for hoisting.
(3) Provide mortar mill and shed to keep materials under cover and also for workmen.
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water-shoots, coverings to masonry, tile pieces to steps, sieves, parahs, or measures, shoring and other requisite protection during the progress of the work.
(6) Supply all water required for work and workmen and shall provide latrines, drainages, etc.
(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
(8) Provide arrangements for pumping and bailing from excavations and foundations, wherever and whenever necessary with their own pumping apparatus including necessary leading drains, slump pits, etc.
(9) Wash floors at completion and leave the whole of the work and premises in a clean and orderly condition, etc.
(10) Afford facilities to any other parties employed upon the work so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.

Note.—(*b*) It is the business of the contractors to make their own arrangements for the quarries and supplies of materials.

23. The rates for woodwork for all works quoted should be based on the rates of the departmental supply as noted below. Only Mysore teak selected from the Mysore Government Depots must be used.

24. Work to the extent of Rs. 8,500 will have to be carried out each month.

Prevailing Government rates at Mysore Forest Depot for Mysore teak is as follows:—

	Rs.	a.	p.	
(1) Selected 1st class logs	2	8	0	per c.ft.
(2) Cut scantling of sizes 3″×4″	3	4	0	„
(2*a*) Do 3″×5″ to 4″×7″	3	12	0	„
(3) Planks 1″ to 1¾″ to required sizes	4	8	0	„

Abstract estimate of quantities for completing the North wing of administrative block of Medical College, Mysore.

Item No.	Description of work	Unit	Quantity
	GROUND FLOOR.		
1	Burnt brick in lime mortar for superstructure	C.ft.	12,780
2	Providing and fixing T. W. doors of frames 5¼″ × 4½″ and shutters 1½″ thick ⅓ panelled and ⅔ glazed with iron clamps, brass hinges, hooks and Bombay Acme brass fittings with brass rem locks with key arrangements and brass finger plates, etc., complete	S.ft.	324

Item No.	Description of work	Unit	Quantity
3	T. W. windows with T. W. frames 3″ × 5″ and 1¼″ thick shutters panelled outside and glazed shutters inside in four halves without iron bars including Acme brass fittings, etc., complete	S.ft.	474
4	T. W. glazed ventilators as per existing design	,,	224
5	Wire cut brick in cement mortar 1 : 3 with R.C.C. bond stones at 4½′ intervals for pillers including plastering, mouldings, etc., complete	C.ft.	744
6	Reinforced cement concrete lintels for doors and windows including fitting as per L.C.C. regulations	,,	716
7	Burnt brick in chunam mortar arch work	,,	444
8	Cement concrete bed slabs for girders, wall plates, etc.	,,	634
9	Burnt stone slabs 6″ thick, two line dressed and fixed for step in front	S.ft.	113
10	Providing and fixing R. S. girders of B.S.S. tested including hoisting and with one coat of anticorrosive paint complete	Cwt.	234½
11	Constructing reinforced cement concrete pillars as per specifications complete	C.ft.	92
12	Rolled steel girders for lintels including boxing with terrace bricks in cement mortar	Cwt.	22
13	Roofing with R.B.C. terrace of broken granite jelly (1 : 2 : 4) and brick, the reinforcement being ⅜″ bars for spans less than 10 ft. placed 4½″ apart with negative reinforcement and distribution bars and 2″ cross and longitudinal joints and 3″ layer of surki concrete and then 1½″ of cement stone jelly concrete for floor and ½″ thick cement plastering including ¼″ thick coloured water proof cement at top surface finished smooth and cut to tile pattern including ceiling, plastering, coving as per design with washing, etc., complete	Sqr.	54·13
14	Flooring with 1½″ cement concrete (1 : 2 : 4) of granite jelly over 4″ stone jelly lime concrete with topping of red cement ¼″ thick finished with ironite 2½ lbs. per square with all corners rounded and cut to tile pattern of required, etc., complete	Sqr.	45·38
15	Painting two coats with Dulex or other approved paint	,,	24·03
16	Plastering with chunam mortar including rounding of corners of necessary plastering on outer face being ground with yellow ochre to a cream tint complete	,,	159·67
17	White and colour washing two coats	,,	159·67
18	Cornice 12″ deep as per existing design and specification	R.ft.	304
19	4½″ band cornice as per design and specification	,,	304
20	Boxing up girders of size 22″×7″ with terrace bricks in cement mortar and reinforcements, with galvanized steel textied from above and chunam plastering, white and colour washing, etc., complete	,,	324
21	Ornamental moulding (4½″×1½″) mortar band or arch frame cornice as per existing design around the arches	,,	264
22	Ornamental finish	L. S.	
	FIRST FLOOR.		
1	Burnt brick in lime mortar superstructure	C.ft.	11,272
2	Providing and fixing T. W. doors as per specification in Ground Floor	S.ft.	324
3	T. W. windows as per specification in Gound Floor	S.ft.	484
4	Wire cut brick in cement mortar 1 : 3 as per specification in Ground Floor	C.ft.	612
5	R.C.C. lintels over doors and windows	,,	376
6	Burnt brick in lime mortar arch work	,,	270
7	Cement concrete bed slabs, wall plates, etc.	,,	625
8	Providing and fixing R.S. girders of B.S.S. tested including hoisting and fixing, with one coat of anticorrosive paint	Cwt.	234½
9	Do for lintels	,,	22
9(a)	Constructing R.C.C. Pillars	C.ft.	92
10	Roofing with R.B.C. terrace with reinforcement of ⅜″ bars for spans less than 10 ft. placed 4½ inches apart with negative reinforcement and distribution bars and 2″ cross and long joints with 3″ layer of surki concrete and then 2 courses of flat tiles and ½″ thick top and ceiling, plastering with coving as per design with white washing, etc., complete	Sqr.	54.13
11	Painting with 2 coats of Dulex or other approved paint	,,	22.84
12	Providing cement concrete turned balastrated parapet in the arch openings with coping on top with burnt brick in lime mortar 3′ high including base	R.ft.	64½
13	Plastering with chunam mortar as per specification in Ground Floor	Sqr.	159·26
14	White and colour washing 2 coats	,,	159·26

Item No.	Description of work	Unit	Quantity
15	Constructing cornice 12″ deep as per existing design and specification ..	R.ft.	304
16	Band cornice as per existing design	,,	304
17	Boxing girders as per specification in Ground Floor	,,	324
18	$4\frac{1}{2}'' \times 1\frac{1}{2}''$ mortar architrave finish around arches	,,	264
19	Ornamental finish	L. S.	
20	Providing balastrated parapet 3′ high as per existing design complete.	R.ft.	120
21	Providing plain parapet wall as per existing design	,,	181
22	Providing rain water down pipes of cast iron including C.I. gratings, heads, bends, etc., complete	,,	570
23	Constructing dome with necessary girders, etc., as per existing arc ..	L. S.	
	ALTERNATIVE ITEMS OF WORK.		
1	Providing rain water down pipes of cement asbestos 4″ dia. including bends, etc., and fixing complete	R.ft.	570
2	Painting 2 coats with Government Lac Factory green paint	Sqr.	—
3	Painting 3 coats with Government Lac Factory Lac polish, including scraping, sand papering, etc., complete	Sqr.	—
4	Reinforced cement concrete shell for dome as per existing design ..	C.ft.	—

M. A. RAMANUJAM,
Assistant Engineer.

CHITALDRUG DIVISION.

Notice dated 14th July 1939.

Sealed tenders will be received at the office of the Executive Engineer, Chitaldrug Division, up to 2 P.M. on 5th August 1939, for Raising the weirs constructing lifting Dam across the weir hallah and other works of Chik Madhure Tank, Challakere Taluk.

2. Tenders in the prescribed form obtainable from the office of the Executive Engineer, Chitaldrug Division, should be addressed to the Executive Engineer, Chitaldrug Division, in a sealed cover and superscribed as "Tender for Raising the weirs constructing, lifting Dam across the weir hallah and other works of Chik Madhure Tank, Challakere Taluk." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a deposit of Rs. 630 (Rupees six hundred and thirty only) in cash or Government Promissory Notes or Mysore Government Bonds, duly endorsed at face value or market value, whichever is less, as earnest money. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 5th August 1939 at 4 P.M. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental schedule contract form for the due fulfilment of the contract and for the execution of all items of work in accordance with the Bombay Specifications (1931).

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Chitaldrug, on all working days, between 11 A.M. and 5 P.M. and may be obtained from that officer on payment of Re. 1.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.